

List of Possible Circumcisers in Australia and New Zealand

© The Circumcision Academy of Australia Inc

Circumcision Academy of Australia Inc (CAA)

PO Box 1776, Bondi Junction, NSW 2022

<http://www.circumcisionaustralia.org>

Last updated 19 Aug 2020

Introduction

This booklet applies to *male circumcision only*, not other aspects of the medical practice of the doctors or medical practices listed.

The names, addresses, and other information in this booklet are given in good faith and are believed to be correct at the time of printing. They have been gathered together from a variety of sources including personal recommendations, radio, newspaper and magazine advertising. It should be noted that some doctors may have moved or ceased practice since the information was obtained. The CAA recognizes that there are many other doctors who perform circumcisions. The list only includes those the CAA is aware of.

The list includes doctors who do infant circumcisions, as well as circumcision of older children, adolescents and men. Some only circumcise infants, whereas some only circumcise older males, and some do circumcisions for any age. This is stated where known, but circumstances do change and the CAA does not always have full details of the latest practice. Some of the doctors and clinics listed will only circumcise where there is a clear medical need (but in some cases psychological need will be considered). Some, including those mohelim who are not doctors, will only circumcise infants. Phimosis is a common reason for circumcision. Prevention of risk of an adverse condition, infection or cancer in the future is regarded by some as a medically valid reason for circumcision. As a result many now regard circumcision as a 'surgical vaccine'.

Where fees are quoted these are the ones last known to the CAA and may not be complete or up to date. Readers are advised to carefully check what fees will be charged, and what they cover, before making any appointment.

Disclaimer

No recommendation is made by the CAA, nor intended, as to qualifications or competence of practitioners nor the quality of advice provided by other organizations, some of which is inferior. Any reader making use of the services of any of the people or organizations listed, or any other information in this booklet, must satisfy themselves as to the standard of the advice and services which they are offered, and as to how appropriate such advice or services may be to their own needs. No responsibility can be accepted by the CAA for any consequences that may follow from the use to which a reader may put the information herein. Nothing herein is intended as, nor should it be construed as, 'medical advice'. Since circumstances of each patient varies only a direct consultation with a medical practitioner can be used to obtain the medical advice appropriate for the particular needs and quality of care of each individual.

Abbreviations and Symbols Used

[F] immediately following a practitioner's name indicates that they are Female (where this fact is known for certain). Its absence does not imply that the doctor is male.

[ISL] immediately following a practitioner's name indicates that they are Moslem or are versed in providing circumcisions for the Islamic community, not necessarily that they themselves are Moslem.

[J] immediately following a practitioner's name indicates that he is known to be a Jewish doctor or mohel.

[REF] immediately following a name indicates that the entry refers to an organization, or person, which may not perform or directly arrange circumcisions, but which will refer enquirers to a suitable practitioner.

The year, e.g., *[2013]*, at the end of an entry indicates the date when the information was obtained or last updated.

[R] immediately preceding the year indicates a recommendation by one or more patients. It does not necessarily imply recommendation by the CAA

The Titles – 'Dr', 'Mr', etc

The individual circumcision practitioners listed in this booklet are believed to be medically qualified if their name is preceded by the title 'Dr' or 'Mr'. Those for whom neither title is given are not known to be medically qualified (generally these are registered Jewish Mohelim competent only in the circumcision of infants). Readers should be aware however that in some countries there is no legal requirement to be registered in any way in order to perform circumcisions.

In parts of the British Commonwealth and some other places, specialist Consultants, surgeons and many doctors in private practice do not use the title 'Dr' but are known as 'Mr'. This is reflected in the listings where the preferred title is known, otherwise the default title of 'Dr' is used. The use in this listing of the titles 'Dr' and 'Mr' does not therefore imply any greater or lesser knowledge and skill.

Addresses

The address given for a practitioner is, where known, that of the place where he or she practices but in some cases may be his or her home address and not that of the Practice.

Additions and Corrections

Readers are asked to advise the CAA of any errors found in this booklet. Additional names and addresses from any part of the world, as well as other information relating to any entry would be very useful in order to improve our listings and provide a better service to readers. Information can be sent by post or e-mail to: brian.morris@sydney.edu.au

Acceptable Use

This listing is provided for personal use only to find a doctor to circumcise you or your son. It may not be used for any commercial purpose and any such commercial use is a breach of copyright.

AUSTRALIA

Nationwide

The Circumcision Academy of Australia Inc *[Ref]*, PO Box 1776, Bondi Junction, NSW 2022. Website: <http://www.circumcisionaustralia.org> and <http://www.circumcisionaustralia.info> Provides the latest, scientifically accurate information on benefits and risks of circumcision, as well as lists of doctors who perform infant, child and adult circumcisions. The Academy is a medical body only and does not provide medical procedures.

New South Wales

Absolute Medical Services, 1 Parsons Road, Lisarow, NSW 2250. Tel: (02) 4328 5200. Website: <http://www.abmedical.com.au> Circumcisions of boys up to 3 months of age using the Plastibell method and local anaesthesia. Cost \$560. *[2013]*

Australian Centre for Penile Surgery (Prof Colin Moore), 2nd Floor, 99 Spring Street, Bondi Junction, NSW 2022. Tel: (02) 9386 0536. Mob: 0414 251 234. Website: <http://www.drcolinmoore.com> *[2017]*

Dr Taciano Bantatau. 9/25-29 Hunter Street, Hornsby, NSW 2077. Tel: (02) 9476 2320. Age over 10 years. Cost \$450 for children; more for men. *[2013]*

Dr Peter Bell. 142 Tuckwell Road, Castle Hill, NSW 2154. Tel: (02) 9894 0040 and (02) 9894 0474. Website: <https://www.drpeterbell.com> Plastibell circumcision under local anaesthetic for infants up to 3 weeks old only. Cost: \$400. *[2013]*

Dr Norman J. Blumenthal. 3 Kempsey Street, Blacktown, NSW 2148. Tel: (02) 9621 5399. Website: <http://www.blumenthalclinic.com.au> E-mail: blum@bigpond.net.au Also at 185 Fox Valley Road, Wahroonga, NSW 2076. Tel: (02) 9989 8299. All appointments via Blacktown. Circumcision for infants up to 4 weeks old. Cost: \$400. *[2013]*

Dr Luke Bookallil. 211 Rusden Street, Armidale, NSW 2350. Tel: (02) 6772 2291. Website: <http://www.drluke.biz> E-mail: info@drluke.biz Circumcision by Plastibell with EMLA cream and local anaesthetic for infants up to 4 months old. *[2013]*

Dr Peter Campbell. Suite 16, Level 7, Prince of Wales Private Hospital, Barker Street, Randwick, NSW 2031. Tel: (02) 9650 4023. Email: info@drpetercampbell.com.au Website: <https://www.facebook.com/DrPeterCampbell/> *[2013]*

Dr Richard Curran. Kildare Road Medical Centre, 36 Kildare Road, Blacktown, NSW 2148. Tel: (02) 8822 3000. Adult circumcision. *[2013]*

Dr Anthony Dilley, MB BS FRACS. 352 President Avenue, Gymea, NSW 2227. Tel: (02) 9540 4409. Also at 50 Arthur Street, Randwick, NSW 2031. Email: shirepaedsurg@optusnet.com.au Website: <https://www.surgeons.org/profile/mr-anthony-dilley> Dr Dilley is a specialist urological surgeon. Circumcision of infants using a local anaesthetic, and children using a general anaesthetic. Cost: \$800. *[2013]*

Dr Roger Fabian, MD FRACGP. Optimum Med Health Centre, 42 Macquarie Street, Parramatta, NSW 2150. Tel: (02) 9002 0777. E-mail: rogerfabian@optimummedhealth.com.au Newborn to 6 weeks of age and 10 years and above under local anaesthesia. *[2017]*

Dr Emil Gayed. Suite 5, Ground floor, 5 De Why Parade, Dee Why, NSW 2099. Tel: (02) 8294 0361. Website: <https://dremilgayed.com/circumcision-sydney/> Has 20 years of experience in infant circumcision, best performed between 1 and 8 weeks of age, but the earlier the better. Local anaesthesia involving EMLA cream applied by the parents 1 hour prior to the procedure.

Dr Richard Laurence Haddad. Suite 4, 13 Bridge St, Epping NSW 2121. Norwest Private Hospital, level 1, Suite 111, 9 Norbrik Drive, Bella Vista, NSW 2153. Sydney Adventist Hospital, Suite 205, Tulloch Building, 185 Fox Velley Rd, Wahroonga NSW 2076. Tel: (02) 8883 3811. Website: <https://drhaddad.com.au> Dr Haddad performs circumcision of older boys, teens and men, but not infants. [2017]

Prof Andrew Holland. The Children's Hospital at Westmead, Corner of Hawkesbury Road and Hainsworth Road, Westmead, Sydney, NSW. Postal address: Locked Bag 4001, Westmead, NSW 2145. Tel: 1300 36 22 78. Day surgery under general anaesthetic for infants and boys for medical need only. [2019]

Dr Adam Jackel. See Dr. Milton Sales & Dr. Adam Jackel.

Dr Tamer Kahil [ISL]. 761 Punchbowl Road, Punchbowl, NSW 2196. Tel: (02) 9791 1200. Website: <http://www.orthopaedicsurgeonsydney.com.au/about-us.html> Circumcision for all ages under local anaesthetic. [2019]

Dr Phillip Katelaris, 51 Palmerston Road, Hornsby, NSW 2077. Tel: (02) 9477 7904. E-mail: urology@katelarisinc.com Website: <https://www.katelarisurology.com.au> Circumcision for males over 10 years of age by the sleeve resection method under local or general anaesthetic. Cost: \$1867 for child or adult [2017]

Dr Robert Lewin. 1 John Street, Erskinville, NSW 2043. Tel: (02) 9519 4240. Circumcision for boys under 3 months. [2013]

Prof Dr Andrew Li, MB BS FRAGP. Drummoyne Surgery & Skin Cancer Clinic, Suite 11, Level 1, 50 Victoria Road, Drummoyne, NSW 2047. Tel: (02) 9719 1600. E-mail: admin@drummoynesurgery.com.au Website: <http://www.drummoynesurgery.com.au> Circumcision for adults and boys over 10 years of age under local anaesthetic by penile nerve block; under special circumstances boys aged 5–10 may be done as well. Cost: \$2000. [2016]

Dr William Lynch. Urology Sydney, St George's Private Hospital, Level 1, 1 South Street, Kogarah, NSW 2217. Tel: (02) 9587 4888. Website: <http://www.urologysydney.com.au> Consultations alone also at Suite 7, 26–28 Gibbs Street, Miranda, NSW 2228. [2013]

Prof Colin Moore FRCS FRACS FACCS. <http://www.drcolinmoore.com/about-prof-moore/> See *Australian Centre for Penile Surgery.* [2017]

Dr Dinesh Patel. Suite 2015, 308–312, Beamish St, Campsie, NSW 2194. Tel: (02) 8197 1900. E-mail: reception@urologicalsurgeon.com.au. Website: <http://www.urologicalsurgeon.com.au> Circumcision by sleeve resection for males 16 years of age and over, normally under general anaesthetic, but local anaesthetic by request. Cost: \$1,350.00. [2016]

Dr Khakid Aziz Qidwai. 25 Malvern Avenue, Croydon, NSW 2132. Tel: (02) 9745 1111. [2017]

Dr David Robinson, FRACS [J]. Suite 301 Harley Place, 251 Oxford Street (Cnr Hollywood Ave), Bondi Junction (Sydney), NSW 2022. Tel: (02) 9387 8700. Dr Robinson is a specialist surgeon who has performed 4,000 circumcisions over the past 25 years. He circumcises newborns under 6 weeks of age using local anaesthetic. Dr Robinson also performed circumcision of older boys under general anaesthesia. Circumcision of adult males is performed as well, involving sedation and a local anaesthetic. Cost: \$800–\$1600 (infant–adult). [2014]

Randwick Specialists. 103 Botany Street (cnr Magill Street), Randwick, NSW 2031. <http://www.randwickspecialists.com.au/blog-health-tips/newborn-circumcisions> Tel: 02 9326 6826. Email: info@randwickspecialists.com.au 8.30 am to 5.30 pm Mon–Fri. Boys under 3 months of age, although 2 weeks regarded as ideal. Local anaesthesia. Procedure time 5 minutes, total time in clinic 45–60 minutes. [2017]

Dr John Saalfeld. North Shore Medical Centre, Level 4, Suite 2B, 66 Pacific Highway, St Leonards,

NSW 2065. Tel: (02) 9439 5480. Adults only. Dorsal slit only under general anaesthetic. Complete circumcision and other styles not available. [2013]

SAN Clinic, 185 Fox Valley Rd, Wahroonga, NSW 2076. Tel: (02) 9473 850; (02) 9487 9111. [2016]

Dr Mohammad Salahuddin Sharier, MBBS FRACGP. Sefton Medical Center, 9/151 Wellington Road, Sefton, NSW 2162. Tel: (02) 8211-8888 or 1300-523-935. Mob: 0422-221-813. Website: <http://www.gentleprocedures.com.au> Email: drsharier@gentleprocedures.com.au Method: 30 second painless circumcision using the renowned Pollock technique. We provide circumcision for all ages from infant to adult. Charges will vary according to ages: Under 3 months \$550; 3–6 months \$750; 6–12 months \$1000, beyond 1 year through adulthood \$1500. [2017]

Dr Milton Sales, MB BS DipRACOG FRACGP & **Dr Adam Jackel**. Bruncker Road General Practice, 324 Bruncker Road, Adamstown, NSW 2289. Tel: (02) 4952 3700. Website: <http://www.circumcisions.com.au> Circumcision by Plastibell under local anaesthetic at Newcastle Private Hospital for babies between 3 and 7 weeks of age. [2017]

Dr John R. Schulze, MD Dip RACOG FRACGP. Absolute Medical Services, Shop 21, 1 Parsons Road, Lisaro NSW 2250. Tel: (02) 4328 5200. Circumcisions of boys up to 3 months of age using the Plastibell method and local anaesthesia using plain 1% xylocaine or penile nerve block. Dr Schulze has been performing the procedure for over 30 years and sees between 350 and 500 patients per year. Cost: \$600). [2015]

Dr Shyam Sharma, MB BS FRACGP Dip. Indust Hlth Cert Civil Aviation Med Cert Skin Cancer Med Cert Diving/Hyperbaric Med. Kildare Road Medical Centre, 36 Kildare Road, Blacktown, NSW 2148. Tel: (02) 8822 3000. Circumcision for males from infancy to adult under local anaesthetic in fully-equipped treatment room. Dr Sharma is very experienced in this procedure. Pre- and post-surgery information and advice are provided and follow-up appointments are scheduled. For more information and to make an appointment for an initial consult, please call the number above. [2016]

Dr Adrian C Sheen, MB BS (Lond), Dip Obst RACOG, FRACGP. Western Sydney: Mulgoa Medical Centre, Corner of Fairlight & Mulgoa Roads, Mulgoa, NSW 2745 (south of Penrith). Clinic Tel: 1300 DR SHEEN or 0432 123 082. Email: dracsheen@gmail.com Website: <http://circumcisionsnsw.com.au> Dr Sheen has been performing infant circumcision since 1981, doing approximately 200 per year, by Plastibell and Activeklamp under local anaesthetic for infants up to 3 months old, but preferably under 4 weeks of age. He also does adult circumcision under local anaesthetic. [R] [2016]

Dr Philip D. Stricker. Department of Urology, Suite 905, St Vincent's Clinic, 438 Victoria Street, Darlinghurst, NSW 2010. Tel: (02) 8382 6971. Low or medium freehand circumcision (sleeve resection) under general anaesthetic in day surgery theatre of private hospital. Cost approx. \$1900 including hospital fee. [2006]

Dr Ranjit Thind. Suite 6, 2 Hunter Street, Parramatta, NSW 2150. Tel: (02) 9653 6222. Choice of end results from partial to radical removal of foreskin. Free, no obligation, consultations held on Thursdays. Adults over 18 only under local anaesthetic. Out-of-town and overseas patients welcome – airport pickup and accommodation can be arranged. [2013]

Dr Vincent Varjavandi. Randwick Specialists, 103 Botany Street (cnr Botany St and Magill St), Randwick, NSW 2031. Tel: (02) 9326 6826. Email: info@randwickspecialists.com.au Website: <http://www.randwickspecialists.com.au/circumcision-clinic> Dr Varjavandi is a paediatric surgeon and senior consultant at Sydney Children's Hospital. [2017]

Dr Philip Walkom, MBBS MRCOG, FRANZCOG. 63 Wynter Street, Taree NSW 2430. Tel: (02) 6552 6344. Website: <http://www.drwalkom.com.au> Circumcision by Plastibell, preferably under 6 weeks old. Performs approx. 200 circumcisions of boys per year. [2013]

Dr Frederick Ross Wilson. Ochre Health Medical Centre, Charles Sturt University, Building 1470,

Panorama Avenue, Bathurst, NSW 2795. Tel: (02) 6331-9444. Website: <https://healthengine.com.au/doctor/nsw/bathurst/dr-ross-wilson/p14753> (Australian GP of the Year for 2003) Circumcision of infants only. [2017]

Dr Lik-So (Carlo) Yuen, MB BS FRACS(Urology), Head of Urology, St Vincent's Hospital. St Vincent's Clinic, Suite 905, Level 9, 438 Victoria Street, Darlinghurst, NSW 2010. Tel: (02) 8382 6960. Email: cyuen@stvincents.com.au. Only does circumcisions for medical indications, including phimosis, paraphimosis, lichen sclerosis (BXO) and recurrent balanitis. All ages. Cost varies according to the clinical reason for the circumcision, as well as whether it is done in the public hospital system or private hospital. [2013]

Queensland

Dr Boon (Dr Bhuvaneshwar Subramaniam) MBBS, MS MRCS, DRCOG, MRCGP, FRACGP. Kenmore Clinics, Suites 2, 3 & 6, 2081 Moggill Road, Kenmore, Qld 4069. Tel: (07) 3363-1600. Circumcision of both babies and adults under local anaesthesia. [2015]

Australian Centre for Penile Surgery, Riverview Private Hospital, Dixon Street, Strathpine, Qld 4500. [2017]

Dr Deborah Bailey [F]. Suite 6, Level 4, Pacific Private Clinic, 123 Nerang Street, Southport, Qld 4215. Tel: (07) 5528 2628. [2013]

Dr Melissa Cahill, Doctors Grand Plaza, Shop 33a Grand Plaza Shopping Centre, Browns Plains, Qld 4118. Tel: (07) 3809 4555. Circumcisions for infants up to 5 months of age by Plastibell with EMLA cream for local anaesthetic. No injections. Has been performing circumcisions for males up to 5 months of age since 1999. Trained by Dr Terry Russell. [2013]

Gold Coast Circumcision, Level 2, 103 Nerang Street, Southport, Qld 4215. Tel: (07) 5531-1170 (appointments); 1300 4 A CIRC. Adult. [2018]

Dr Nicholas Demediuk (Dr4). Suite 7, 'The Edge' East, 10 Lake Kawana Boulevard, Bokarina, Qld, 4575. Tel: 1300 377 647 and (07) 3102 7460. E-mail: enquiries@drsnip.com.au Website: <http://www.drsnip.com.au> Infant circumcision using Gomco clamp under local anaesthetic. (Also in Victoria) [2013]

Dr David Easton. Wamuran Medical Centre, 1100 D'Aguilar Highway, Wamuran, Qld 4512. Tel: (07) 5496 6399. E-mail: admin@wammed.com.au Website: <http://www.wammed.com.au> Circumcision for infants up to 6 weeks old using EMLA cream as local anaesthetic. [2013]

Dr Melissa Gilbert. Russell Medical Centre, 620 Kessels Road, MacGregor, Qld 4109. Tel: (07) 3349 6444. Website: <http://www.circumcision.net.au> and <http://www.russellmedical.com.au> Dr. Gilbert trained at the Russell Medical Centre. She uses the Plastibell with anaesthetic cream technique for boys aged from newborn to puberty. [2019]

Dr Carly Hupfeld. Russell Medical Centre, 620 Kessels Road, MacGregor, Qld 4109. Tel: (07) 3349 6444. Website: <http://www.circumcision.net.au> and <http://www.russellmedical.com.au> Dr Hupfeld trained at the Russell Medical Centre. She uses the Plastibell with local anaesthetic cream technique for boys aged from newborn to puberty. [2019]

JTC Men's Clinic. Whitsunday Circumcisions. Shute Harbour Road, Airlie Beach, Qld 4802. All-male doctors. Provide assistance with transportation and accommodation. Mob: 0476-508-426. Circumcision of men aged 18 years and older using local anaesthetic and Gomco clamp. [2015]

Dr Mahomed Khatree, Logan Central Medical Centre, 1 Wembley Road, Logan Central, Qld 4114. Tel: (07) 32087656. Email: info@circumcisionbrisbane.com.au Website: <http://www.circumcisionbrisbane.com.au> Circumcision of infants using Plastbell or Gomco clamp and

local anaesthetic. Performed by a doctor who has 30 years of experience. [2014]

Dr David Kirkman. Circumcision Sunshine Coast, Maple Street Surgery, 46 Maple Street, Cooroy, Qld 4563. Tel: (07) 5447 6644. Circumcision for infants under 1 month old by Plastibell. Local anaesthesia using EMLA cream on request. Cost: A\$300. [2013]

Dr Peter Loth, MB BS DipRACOG. Russell Medical Centre, 620 Kessels Road, MacGregor, Qld 4109. Tel: (07) 3349 6444. Website: <http://www.circumcision.net.au> and <http://www.russellmedical.com.au> Dr. Loth has been using the Plastibell with anaesthetic cream technique for over 10 years for boys aged from newborn to puberty. [2017]

Dr Scott McClintock. Gold Coast Urology, 136 Queen Street, Southport, Qld 4215. Tel: (07) 5531 2255. E-mail: mccurology@onthenet.com.au Website: <http://www.drscottmcclintock.com.au> [2017]

Dr JP Meyer. Suite 22, Peninsula Specialist Centre, 101 George St, Kippa-Ring, Qld, 4021. Tel: (07) 3883 4431. Mob: 0488 378 016. Email: receptionatjpmeyerurology@gmail.com Website: <http://www.jpmeyerurology.com.au> Dr Meyer is an Associate Professor at University of Queensland. Circumcision for a medical problem. [2017]

Dr Gamal Mousa, MBChB MRCS FRACS. Cairns Corporate Tower, 15 Lake St, Cairns, Qld 4870. Tel: (07) 4031 0977 [2013]

Queensland Circumcision Service, #C3, 528 Compton Road, Sunnybank Hills, Qld 4109. Tel: 1300-274-101. Website: <http://www.circumcisionsqld.com.au/surgery.php> Circumcision under local anaesthetic by freehand method for adults and boys over 10 years old; day surgery walk-in-walk-out. [2017]

Dr Michael Read. Gold Coast Circumcisions, 2nd Floor, 95 Nerang Street, Southport, Qld 4215. (opposite the Gold Coast Hospital). Tel: (07) 5531 1170 (appointments) or 1300 4 A CIRC. Website: <http://www.gccircumcisions.com.au/> Circumcision for all age groups under local anaesthetic. Plastibell used on infants and young boys. [2017]

Russell Medical Centre, 620 Kessels Road, MacGregor (Brisbane), Qld 4109. Tel: (07) 3349 6444. Website: <http://www.circumcision.net.au> and <http://www.russellmedical.com.au> Practitioners include Dr Peter Loth, Dr Melissa Gilbert and Dr Carly Hupfeld. The practice pioneered the use of anaesthetic cream with the Plastibell in 1993, and has since performed over 46,000 circumcisions for boys of all ages from newborn to puberty. Dr Russell (retired) pioneered the use of anaesthetic cream with the Plastibell in 1993, and has performed over 30,000 circumcisions for boys aged from newborn to puberty. He is the only doctor ever appointed as a mentor of the RACGP for circumcision. Plastibell method with local anaesthetic. [R] [2017]

Dr Bijan Shabani, MD FRACGP. Wamuran Medical Centre, 1100 D'Aguilar Highway, Wamuran, Qld 4500. Tel: 1300 364 48; (07) 5496 6399. Boys up to age 12 years. [2017]

South Queensland Urology, Greenslopes Urology Clinic, Greenslopes Private Hospital, Newdegate Street, Greenslopes, Qld 4120. Tel: (07) 3847 7999. Website: <https://www.greenslopesurology.com.au> [2016]

Dr Neil W. Smith, Gold Coast Urology, 136 Queen Street, Southport, Qld 4512. Tel: (07) 5532 4333. [2013]

Dr Snip (see Dr Nick Demediuk above), Suite 7, 'The Edge' East, 10 Lake Kawana Boulevard, Bokarina, Qld 4575. Tel: (07) 3102-7460 (Brisbane) or (07) 5313-7992 (Sunshine Coast) or 1300 DR SNIP (1300-377-647). Uses the Gomco 'Little Trimmer' Clamp regarded by Dr Demediuk as the safest technique. [2013]

Dr Mario Soteriou. Sunnybank Hills Family Practice, Sunnybank Hills Shopping Town (Inside Priceline Pharmacy), Shop 2D, 661 Compton Road, Sunnybank Hills, Qld 4109. Tel: (07) 3361 8111. Website: <http://sbhfamilypractice.com.au> [2017]

Dr E Jeff Tarr. *RETIRED* at end of Sep 2019. Ochre Health Medical Centre, 9 Ochre Way, Sippy Downs (Sunshine Coast), Qld 4556. Tel: (07) 5373 0700. E-mail: drejtarr2@westnet.com.au Website: <http://www.drartarr.com.au> Ages 0–3 months with Plastibell with local anaesthesia using LMX4 cream two-thirds of which is applied 2 hours prior and the remaining one-third applied 1 hour prior to the procedure. Cost: approx. \$500. [2017]

Wamuran Medical Centre, See Dr David Easton and Dr Majid Alinia.

Dr Roger Waterfield. 5 Upward St, Cairns, Qld 4870. Tel: (07) 4031 3137. [2013]

Wesley Urology Clinic, 40 Chasely Street, Achenflower, Qld 4066. **Dr Geoff Coughlin.** Tel: (07) 3720 6920. Email: DrCoughlin@wesleyurologyclinic.com.au **Dr Nigel Dunglison.** Tel: (07) 3720 6930. Email: DrDunlison@wesleyurologyclinic.com.au **Dr Rachel Esler.** Tel: (07) 3720 6940. Email: DrEsler@wesleyurologyclinic.com.au **Dr John Yaxley.** Tel: (07) 3720 6950 Email: DrYaxley@wesleyurologyclinic.com.au Website: <http://www.wesleyurologyclinic.com.au/contact/> Medical circumcisions under general anaesthesia. [2019]

Woodford Doctors, Woolworths Complex, shop 6–8, 71–75 Archer Street, Woodford, Qld 4514. Tel: (07) 5422-9399. Infant circumcisions. [2015]

South Australia

Adelaide Circumcision Clinic, 480 Port Road, West Hindmarsh, SA 5007. Tel: (08) 8241 5556. Also at 60 Park Terrace, Salisbury, SA 5108 and 27 Adelaide Road, Gawler, SA 5118. Tel: (08) 8341 5556 or (08) 8281 0022. Website: <http://www.circumcisionadelaide.com.au> Plastibell circumcision with EMLA cream for boys up to about 12 years old. Referral elsewhere available for older boys. [2013]

Dr S Paul Cowie. Redgum Skin Cancer Clinic, 174 Hancock Road, Ridgehaven, SA 5097. Tel: (08) 8396 3398. E-mail: info@redgumclinic.com Website: <http://redgumclinic.com> Circumcision under local anaesthetic available for all ages. EMLA or similar topical anaesthetic cream applied under plastic dressing for 30–60 minutes. Ring block plus penile nerve block. Boys up to 12 years, although preferred age is 3–6 months. Circumplast device preferred for infants and young boys. Older patients freehand. Costs: Initial consultation (all ages) \$55. Surgery: \$400 under 6 months, \$500 under 10 years, \$1,250 for boys over 10 years old and adults. [2016]

Dr Zenon Herzberg, North Adelaide Medical Centre, 183 Tynte Street, North Adelaide, SA 5006. Tel: (08) 8267 5355. [2006]

Mr Anthony L Sparnon, FRACS. 58 Ward Street, North Adelaide, SA 5006. (08) 8267 3186 [2013]

Tasmania

Dr Ian S Middleton. 10 Joynton St, New Town, Tas 7008 (in Hobart). Tel: (03) 6278 1944. [2016]

Dr Frank Redwig. Suite 3 Hobart Private Hospital, Hobart, Tas 7000. Tel: (03) 6214 3097 E-mail: office@redwigurology.com Local or general anaesthesia used. Website: <https://www.redwigurology.com/urological-services> [2020]

Dr Amanda B Young [F]. 1 Dowling Street, Launceston, Tas 7250. Tel: (03) 6331 6662. Babies over 6 months under general anaesthetic for medical or religious reasons only. [2011]

Victoria

Australian Aesthetic Surgery Centre, Level 2, 174 Victoria Parade, East Melbourne, Vic 3002. Tel:

1300 361 030. Adult circumcision under general anaesthetic. Cost approx. \$3,700. [2016]

Dr Manish Agaskar. Warragul Family Medicine, 77 Victoria Street, Warragul, Vic 3820. Tel: (03) 5622 2973. [2013]

Dr Mojtaba Athari. Melbourne Vasectomy and Circumcision Clinic, Heaths Road Family Clinic, 241 Heaths Road, Werribee, Vic 3030. Tel: (03) 9748 9777. E-mail: info@mvandc.com.au Website: <http://www.mvandc.com.au> Circumcision for all ages under local anaesthetic. Infants usually by Plastibell, older patients by Gomco Clamp or Freehand. Costs: Approx. \$900 for an adult but costs vary with age and method. [2013]

Circumcision Clinic, St. Kyrollos Family Clinic, 2A Moore Street, Coburg (Melbourne), Vic 3058. Tel: (03) 9386 0900. E-mail: reception@StKyrollosClinic.com.au Website: <https://dremilgayed.com> Circumcision under local or general anaesthetic for all age groups using the Forceps Guided technique. [2017]

Circumwise Pty Ltd, 537 Springvale Road, Vermont, Vic 3133. Tel: (03) 9886 3336. E-mail: circumwise@circumwise.com Website: <http://www.circumwise.com.au> Plastibell circumcision under local anaesthetic for boys up to approx. 12 years old. Cost: A\$695. [2013]

Dr Laurence K Cleeve. Suite 2, Ground Floor, 141 Grey St, East Melbourne, Vic 3002. Tel: (03) 9419 1668. And at Northpark Private Hospital, Greenhills Road, Bundoora, Vic 3083. Cost \$400 to \$500 plus Consultation \$120. [2012]

Coburg Family Medical Centre, 497 Sydney Rd, Coburg, Vic 3058. Tel (03) 9354 4042. [2017]

Cotham Private Hospital, 209 Cotham Road, Kew, Vic 3101. Tel: (03) 8803 0500. Website: <http://www.cothamprivate.com.au> [2016]

Mr Das, Portland Hospital, Bentinck St, Portland, Vic 3305. Tel: (03) 5521 0333. E-mail: pdh@swarh.vic.gov.au Plastibell circumcision for infants. [2003]

Dr Nicholas Demediuk (Dr Snip). Parkmore Medical Centre Pty Ltd., 323 Cheltenham Road, Keysborough, Vic 3173. Tel: 1300 377 647 and (03) 9013 8532. Website: <http://www.drsnip.com.au> Infant circumcision using Gomco clamp under local anaesthetic. (Also in Queensland) [2014]

Freemasons Hospital, 166 Clarendon Street, East Melbourne, Vic 3002. Tel: (03) 9483 3833. Website: <http://www.epworth.org.au> [2008]

Dr Hershel Goldman [J]. Melbourne Circumcision Centre, 127 Chandler Road, Noble Park (Melbourne), Vic 3174. Tel: (03) 9791 1122 and (03) 9387 1000. Also at 124-126 Camberwell Road, Hawthorne East (Melbourne), Vic. Tel: (03) 9834 7600. E-mail: info@circumcisioncentre.com.au Website: <http://www.circumcisioncentre.com.au> Circumcision for infants aged between 5 days and 4 months using the Mogen Clamp. Costs: 3 weeks and under is \$325, 3–8 weeks is \$360, 8–12 weeks is \$420, over 12 weeks is \$480. Ritual circumcision (Bris Milah) also available for boys and men. No referral needed. [2013]

Dr Devan V Gya. 179 Northern Rd, Heidelberg Heights, Vic 3081. Tel: (03) 9458 2725. Forceps Guided circumcision under general anaesthetic. \$700. [2016]

Dr Mohamed Hajoona, BA(Hons) (USA) MD (Canada) FRACGP. Consultant General Practitioner; Director, Victoria Circumcision Clinic (VCC), The Regent Medical Group, 466 Murray Road, Preston, Vic 3072. For circumcision bookings contact Victoria Circumcision Clinic, Tel: (03) 9470 3155 or Mob: 0488 882 472. Email: vic.circ.clinic@gmail.com Website: <http://www.vcc.net.au> Circumcision for all ages under local anaesthesia. Techniques are Plastibell until puberty and surgical circumcision after puberty. Costs vary by age: \$300 for up to 3 months of age; \$450 for 3–12 months of age; \$500 for 1–4 years of age; \$450 for 4–10 years of age; \$600 for 10 years and older; \$800 for 10 years and older if stitching is needed. [2017]

Islamic Circumcision Centre. 9A Olsen Place, Broadmeadows, Vic 3047. Tel: (03) 9041 8407. Mob:

0422 203 444. Email: ritualicc@gmail.com Website: <http://www.islamiccircumcisioncentre.com.au> Cost: Birth to 3 months: \$250; 3–6 months: \$300; 6–12 months: \$350; 1–2 years: \$400; 2–4 years: \$500; 4–6 years: \$600; 6–9 years: 650; 9–18 years: \$750; Over 18 years of age: \$900. [2017]

Dr Sugantha Jagadeesan, see *Circumwise Pty Ltd* above.

Melbourne Circumcision & Vasectomy Clinic. Gentle Procedures Clinic. 369 Burwood Highway, Burwood, Vic 3125. Tel: (03) 8794 7273. Website: <https://gentleproceduresmelbourne.com.au> Circumcision of males of all ages using the Pollock Technique™. Local anaesthetic with other helpful methods. For adults, local anaesthesia results in a quick surgical technique, and skin glue instead of stitches allows a comfortable procedure with improved cosmetic outcome without residual track marks typical of suture use. [2017]

Melbourne Urology Consultants, Suite 6, 206 Albert St, East Melbourne, Vic 3002. Tel: 1300 692 171. Website: <http://www.melbourneurology.net.au/patient-information/circumcision> (see website for other locations: Moonee Ponds, St Albans and Woodend). [2017]

Malvern Specialist Centre, 76 Glenferrie Road, Malvern, Vic 3144. Tel: (03) 9509 7333. Circumcision for infants from birth to 6 months of age. [2013]

Mercy Private Hospital, 298–310 Princes Highway, Werribee, Vic 3030. Tel: (03) 9216 8888. Website: <http://www.mercy.com.au> [2008]

Northpark Private Hospital, Corner of Plenty and Greenhills Roads, Bundoora, Vic 3083. Tel: (03) 9468 0100. Website: <http://www.northparkprivatehospital.com.au> [2016]

Dr Ashraf Saddik. St. Kyrollos Family Clinic, 2A Moore Street, Coburg, Vic 3058. Tel: (03) 9386 0900. E-mail: drsaddik@stkyrollosclinic.com.au Websites: Circumcision doctor: <http://www.circumcisiondoctor.com.au/contact.htm> St Kyrollos Family Clinic: <http://www.stkyrollosclinic.com.au> Circumcision under local or general anaesthetic for all age groups using the Forceps Guided technique. [2020]

Dr Snip. Parkmore Medical Centre Pty Ltd, 323 Cheltenham Road, Keysborough, Vic 3173. Tel: (03) 9013-8532 or 1300-377-647. [2014]

Dr Lionel Steinberg, Obstetrician & Gynaecologist. Suite 2, Ground Floor, 59-61 Victoria Parade, Fitzroy, Vic 3056. Tel: (03) 9486 0366. Website: <http://www.drionelsteinberg.com.au/services/circumcision/> Circumcision of boys up to 4 weeks of age using the Gomco clamp technique and local anaesthesia. [2017]

Dr Robert Stunden. 50 Kangan Drive, Berwick, Vic 3806. Tel: (03) 9770 5115. Circumcision by Plastibell for infants under 1 month of age. Cost: \$300. [2013]

Unique Circumcision, 36 Graham St, Broadmeadows, Vic 3047. Mob: 0411 188 897. [2017]

Victoria Circumcision Clinic. See: Dr Mohamad Hajoona. Website: <http://www.vcc.net.au> Circumcision for males of all ages. [2017]

Dr David Webb. Suite 103, Freemasons Medical Centre, 320 Victoria Parade, East Melbourne, Vic 3002. Tel: (03) 8415 1500. E-mail: enquiries@davidwebburology.com Website: <http://www.davidwebburology.com> [2013]

Dr Peter Wein. Suite 114, Freemasons Medical Centre, 320 Victoria Parade, East Melbourne, Vic 3002. Tel: (03) 9418 8210. E-mail: dr.peterwein@ozemail.com.au Website: <http://www.drpeterwein.com.au> [2013]

Mr (Dr) Geoffrey Wells. Camberwell Urology, 31 Fairholm Grove, Camberwell, Vic 3124. Tel: (03) 9882 0299. E-mail: info@geoffreywells.com.au Website: <http://www.geoffreywells.com.au> Adult circumcision under general anaesthetic. [2011]

Dr Jennifer M. Wheatley. 195 Specialist Centre and Children's Clinic, 8/195 Thompsons Rd, Bulleen, Vic 3150. Tel: (03) 8850 5300. A paediatric surgeon who performs circumcision of newborns aged 0–8 weeks under local anaesthetic as an office procedure using a Plastibell device and circumcision of boys over 6 months of age under general anaesthesia as a day surgery procedure. Also does circumcision of men under general anaesthesia. Website: www.195specialistcentre.com.au [2016]

Western Australia

Dr Sue Chapman [F]. Suite 6, St John of God Medical Centre, Corner of Bussell Highway and Robertson Drive, Bunbury, WA 6230. Tel: (08) 9722 1869. [2013]

Mr Parshotam Gera, MBBS MS MCh DBN MMedSc FRACS (Paediatric Surgery). Suite 5, 2 McCourt St, West Leederville, WA 6007. Tel: (08) 6162 1615. Email: contact@perthpaediatrics.com.au Website: <http://www.perthpaediatrics.com.au> Laser circumcision using YSGG laser (a modern laser which does not have any heating effect and works by evaporation) for boys up to 8 weeks of age. The procedure involves local anaesthesia using ultrasound-guided nerve block for pain relief. [2017]

Dr Hany M Ishak, Stirling Central Medical Group, Corner of Wanneroo and Victoria Roads, Westminster, WA 6061. Tel: (08) 9440 5300. Website: <http://www.circumcisionwa.com.au> Circumcision for infants only. [2013]

Dr Leon Levitt & Dr Steven Resnick. Perth Circumcision Clinic, Herdsman Specialist Centre, Suite 21, 127 Herdsman Parade, Wembley, WA 6014. Tel: 08 9387 5892. E-mail: info@herdsmanspecialistcentre.com Website: <http://www.perthcircumcisionclinic.com.au> Circumcision for boys up to 6 weeks old by the Forceps Guided method. No anaesthetic used if parent requests this. Otherwise local anaesthesia using LMXA cream applied 13–30 minutes prior to the procedure or (in addition if requested) local anaesthetic injection (dorsal penile nerve block or ring block). If the boy is older than 6 months of age general anaesthesia is used. Cost: More than \$350. [2017]

Dr Peter Lim. Kelvale Medical Group, 53 Railway Avenue, Kelmscott, WA 6111. Tel: (08) 9495 1230. E-mail: kmgadmin@kelvale.com.au Website: <http://www.kelvale.com.au> Infant circumcision. [2016]

Dr Richard Newton. Gentle Procedures Clinic, 460 Stirling Highway, Peppermint Grove, WA 6011 (top floor of Cottesloe Shopping Centre). Tel: (08) 9286 9900. Circumcision of baby boys, boys, teens and adults using the Pollock Technique™. [2019]

Dr Adeolu O. Obatayo, MB BS AMC FRACGP. Jupiter Health and Medical Services, G1, 155 Mead Street, Byford, WA 6122. Tel: (08) 9526 4199 Email: adebatsy@gmail.com and receptionist@jupiterhealthbyford.com.au Website: <http://www.jupiterhealthbyfordtheglades.com.au> Plastibell infant circumcision. [2019]

Perth Urology Clinic. *Hollywood:* Suite 15, Hollywood Medical Centre, 85 Monash Ave, Nedlands WA 6009. Tel: (08) 9322 2435. Email: Hollywood@perthurologyclinic.com.au *Wexford:* Suite 23, Wexford Medical Centre, 3 Barry Marshall Parade, Murdoch, WA 6150. Tel: (02) 6189 2970. *Joondalup:* Level 3, Shenton House, 57 Shenton Ave, Joondalup, WA 6027. Tel: (08) 9322 2435. *Geraltion:* 12 Hermitage St, Geraltion, WA 6530. Tel: (02) 9322 2435. *Mandurah:* St John of God Specialist Centre, 117 Anstruther Rd, Mandurah, WA 6210. *Albany:* Amity Health, 136 Lockyer Ave, Albany, WA 6330. Website: <https://perthurologyclinic.com.au/what-we-do/general-urology/circumcision-2/> [2017]

Dr Steven Resnick, See Dr. Leon Levitt & Dr Steven Resnick

Mr (Dr) Justin Vivian & Colleagues. Western Urology, 26 McCourt Street, West Leederville, WA 6007. Tel: (08) 9381 3822 & 9382 4999. E-mail: reception3@westernurology.com Website: <http://www.westernurology.com> Adult circumcisions and re-circumcisions under general anaesthetic. [2011]

Dr Craig Waters. St John of God Hospital, Murdoch, WA 6150. Tel: (08) 9366 1792.
Circumcision under general anaesthetic. *[2003]*

NEW ZEALAND

Albany

Dr Dirk Drent. Specialist Suite (Room 104), First floor, Apollo Centre, 119 Apollo Drive, Albany. Tel: (09) 477 3640. *See also main entry under Auckland. [2012]*

Auckland

Dr Murray Beagley. Suite 6, 9 St Marks Road, Remuera, Auckland. Tel: (09) 529 2029. E-mail: manager@cosmeticsurgeon.org.nz Website: <http://www.cosmeticsurgeon.org.nz> Circumcision under local or general anaesthetic. *[2013]*

Dr Sandhya Chunilal [F]. Surrey Medical Centre, 26 Surrey Crescent, Grey Lynn, Auckland 1021. Tel: (09) 376 4658. *[2013]*

Circumcision at 89, 89 Greenlane East, Remuera, Auckland. Tel: (09) 520 6306. *[2008]*

Circumcision @ Westgate, Westgate Medical Centre, Fernhill Drive, Massey, Auckland 0614. Tel: (09) 833 3134. Website: <http://www.wgmc.co.nz> *[2013]*

The Doctors (New Lynn) Ltd, 19 Delta Avenue, New Lynn, Auckland 0614. Tel: (09) 827 7810, Web: <http://www.radiusmedical.co.nz/The-Doctors-New-Lynn> *[2013]*

Dr Dirk Drent. Ormiston Orthopaedics, Level 2, Ormiston Hospital, 125 Ormiston Road, Flat Bush, Manukau, Auckland and Ground Floor, 97 Grafton Road, Grafton, Auckland. Also in Albany and Hamilton. Tel: (09) 919 2615. E-mail: dirk@uro.co.nz Website: <http://www.uro.co.nz> Circumcision for children and adults under local anaesthetic. Cost: Consultation \$120, Circumcision \$550 *[2012]*

East Tamaki Healthcare (ETHC), 160 Bairds Road, Otara, Auckland. Tel: (09) 274 3414. Web: http://www.ethc.co.nz/13/Bairds_Road *[2005]*

Mr (Dr) R Stuart Ferguson. 15 Gilgit Rd, Epsom (Auckland). Tel: (09) 623 7506. General and Paediatric Surgeon. Adult circumcision in private hospital under general anaesthetic. Cost: approx \$1,210. *[2000]*

Prof Dr Sitaleki 'Ata'ata Finau. Pacific Health, Department of Maori and Pacific Health, University of Auckland Medical School, Private Bag 102904, North Shore, Auckland 0745. Tel: 0800 627 739. *[2013]*

Mrs (Dr) Anne Kolbe [F]. Suite 1, Auckland Surgical Centre, 9 St Marks Road, Remuera, Auckland. Tel: (09) 524 6473. *[2013]*

Langimalie Health Centre, 29 Hill Street, Onehunga, Auckland. Tel: (09) 636 3629. Also at 161 Queen's Road, Panmure, Auckland. Tel: (09) 570 9827. Website: <http://www.healthpoint.co.nz/doctors/gp/langimalie-health-centre> Circumcision for adults and boys under local anaesthetic, but no infant circumcisions. Mainly dorsal slit only, but full circumcision can be done. *[2013]*

Manukau Health Trust Ltd, 901 Great South Road, Manukau, Auckland. Tel: (09) 227 1648. Circumcision under local anaesthetic. *[2013]*

Dr Siva Nachiappan. Eastmed Integrated Medical Centre, 188 St Heliers Bay Road, St. Heliers, Auckland. Tel: (09) 585 0188. Web: <http://eastmed.co.nz> Circumcision for males over 15 only. *[2013]*

Otara Family & Christian Health Centre, 5/120 East Tamaki Road, Otara, Auckland 2023. Tel: (09) 274 6654. Email: reception@otarafamily.health.nz Circumcision for 8 years old and over. *[2013]*

Pasifica Integrated Family Medical Centre, 1 Nile Road, Milford, Auckland 0620. Tel: (09) 410 0275. [2008]

Dr John Russell & Dr Ivan Cornell. Hillsborough Medical Centre, 165 Hillsborough Rd, Hillsborough, Auckland. Tel: (09) 625 7010. Website: <http://www.circumcision.co.nz> Circumcision by Plastibell under local anaesthetic for infants under 3 months old. [R] [2013]

Dr Ayad Razoki. Westgate Medical Centre, Fernhill Drive, Massey, Auckland 0614. Tel: (09) 833 3134. E-mail: info@wgmc.co.nz Website: <http://www.wgmc.co.nz> [2013]

Dr Wasfy Shahin. Country Medical Clinic, 76 Main Road, Kumeu, Auckland 0810. Tel: (09) 412 8722. Circumcision for infants by Alisklamp under local anaesthetic. Cost: \$200. [2013]

Dr John Thomson. 257 Remuera Rd, Remuera, Auckland 1050. Tel: (09) 520 2960. Web: <http://www.circumcision.co.nz> Circumcision of infants from birth to 6 months old by Plastibell under local anaesthetic. Cost: \$160–200. [2013]

Dr Gerald Young & Dr Todd Pritchard. City Med, Ground Floor, Quay West Building, 8 Albert Street, Auckland CBD. Tel: (09) 377 5525. Web: <http://www.citymed.co.nz> All ages from infant to adult, circumcised freehand under local anaesthetic (general anaesthetic available on request). Cost: under 6 months \$475; 8–17 years \$525; over 18 years \$750. [R] [2013]

Christchurch

Prof Dr Spencer Beasley. Department of Paediatric Surgery, Christchurch Hospital, Private Bag 4710, Christchurch. E-mail: spencer.beasley@cdhb.govt.nz [2005]

Mr (Dr) Colin Conahan. Christchurch Obstetrics & Gynaecology Associates, Hiatt Chambers, St Georges Medical Centre, 249 Papanui Road, Merivale, Christchurch 8014. Tel: (03) 375 4060. Email: colin.conaghan@paradise.net.nz Circumcision using the Plastibell. Cost: \$250 [2013]

Dr Peter JT Davidson. Urology Associates, Hiatt Chambers, St Georges Medical Centre, 249 Papanui Road, Merivale, Christchurch 8014. Tel: (03) 355 5129. E-mail: reception@urology.co.nz Website: <http://urology.co.nz> Circumcision under local anaesthetic. [2012]

Menz Medical Centre, 158 Fitzgerald Avenue, Christchurch. Tel: (03) 981 8181. Website: <http://www.menzmedical.com> [2011]

Dr Peter Wilkinson. Templeton Medical Centre, 5 Kirk Road, Templeton, Christchurch. Tel: (03) 349 6716. Website: <https://tempmed.nz> Cost: \$180. [2013]

Dunedin

Dr Paul C Bennett. Broadway Medical Centre, 2 Broadway, Dunedin 9016. Tel: (03) 477 4335. Email: paul@drpaul.co.nz Web: <http://www.drpaul.co.nz> Infants only using the Gomco Clamp under local anaesthetic. Cost: \$255. [2013]

Hamilton

Dr Dirk Drent. 33 Tawa Street, Hamilton. Tel: (07) 843 0017. *See also main entry under Auckland.* [2012]

Radius Medical, Rototuna Shopping Centre, Corner of Horsham Downs Road and Thomas Road, Hamilton. Tel: (07) 852 5377. Also in *Hamilton*: Davies Corner, 31 Hukanui Road, Chartwell, Hamilton 3210. Tel: (07) 855 5370 and 26 Bryant Road, Te Rapa, Hamilton. Tel: (07) 849 4181. Website:

<http://www.radiusmedical.co.nz> Neonatal circumcisions only. Cost: \$490 [2013]

Lower Hutt

The Circumcision Clinic, Ropata Specialist Centre, 1st Floor, 577 High Street, Lower Hutt. *See main entry under Palmerston North for contact details. [2013]*

Dr David Young. Naenae Medical Centre, 39 Treadwell Street, Naenae, Lower Hutt 5011. Tel: (04) 567 1066. Cost: Babies approx. \$165. [2009]

Nelson

The Circumcision Clinic, The Doctors, Unit 2, 105 Collingwood Street, Nelson 7010. *See main entry under Palmerston North for contact details. [2013]*

Palmerston North

The Circumcision Clinic, The Palms Health & Wellness Centre, 445 Ferguson Street, Palmerston North 4410. Tel: 0800 247 286. Email: enquiries@circumcision.net.nz Website: <http://circumcision.net.nz> Also in Wellington, Lower Hutt, Tauranga, Wairarapa & Nelson. Circumcision for babies under 6 weeks old by Plastibell under local anaesthetic using EMLA cream. Cost: \$395. [2013]

Tauranga

The Circumcision Clinic, 49 Fraser Street, Tauranga. *See main entry under Palmerston North for contact details. [2013]*

ProMed Urology Ltd, Suite 6, Promed House, 71 Tenth Ave, Tauranga 3140 and at Level 6, Harrington House, Harrington Street, Tauranga 3140. Tel: (07) 579 0466. Email: reception@urobop.co.nz Circumcision of men and boys under general anaesthetic. [2012]

Wairarapa

The Circumcision Clinic, Selina Sutherland Hospital, Blair Street, Masterton. *See main entry under Palmerston North for contact details. [2013]*

Wellington

The Circumcision Clinic, 1st Floor, Lychgate Centre, New Zealand Dermatology and Skin Cancer Centre, 100 Riddiford Street, Newtown. *See main entry under Palmerston North for contact details. [2013]*

Mr (Dr) Richard Robinson. Adult & Pediatric Urologist, Southern Cross Hospital, 90 Hanson St, Newtown, Wellington. Tel: (04) 910 2178. Circumcision of adults, boys and babies. [2013]

Dr EF Sang. 159 The Parade, Island Bay, Wellington 6023. Tel: (04) 383 7647. Cost: Babies approx. \$200. [2009]

Wellington Children's Hospital, Riddiford Street, Newtown, Wellington 6021. Tel: (04) 385 5999.

[2013]

Wellington Urology Associates, Level 3, Wakefield Hospital, Florence Street, Newtown. Tel: (04) 381 8344. Email: urology@wakefield.co.nz [2013]